

Prime Core Dynamics
support@primecoredynamics.com



COC# 145665
Lab # 211987
Date Rec'd 8/20/2026
Report Issued 9/1/2026

Louisiana, USA

Certificate of Analysis



Project
Compound Semaglutide
Label Claim 15 mg
Batch/Lot SEMA-15MG-A01


<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>LOQ</u>	<u>% of Label</u>	<u>Method</u>	<u>Date</u>	<u>CAS</u>
Peptide Analysis							
Chromatographic purity	>99.9	%	1		HPLC-UV/MS	8/29/2026	
Semaglutide	16.1	mg	.1	107.3	HPLC-UV-MS	8/29/2026	910463-68-2
Mass Spectral Match	ID Confirmed				HPLC-UV-MS	8/29/2026	

The data presented are from the analysis of the sample shown and meet Krause Analytical internal quality assurance criteria unless otherwise flagged.
Methods shown reference current Krause Analytical SOPs
ND - Not detected LOQ - limit of quantification OC outside of calibration
All values reported on a per vial basis unless otherwise noted
Copyright © 2026 Krause Analytical LLC. All rights reserved.

Respectfully submitted,

Mark C. Krause
Laboratory Director

CHROMATOGRAM



Sample Report:

1: (Time: 0.30) Combine (13:19- (7:10+29:32))

1:MS ES+
4.3e+006