

Prime Core Dynamics
support@primecoredynamics.com



Louisiana, USA

Project 145665
Lab # 211992
Date Rec'd 8/20/2026
Report Issued 9/14/2026

Certificate of Analysis



Compound SS-31
Label Claim 10 mg
Batch/Lot SS31-10MG-A01


<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>LOQ</u>	<u>% of Label</u>	<u>Method</u>	<u>Date</u>	<u>CAS</u>
Peptides & Bioactives							
Chromatographic purity	99.5	%	1		HPLC-UV/MS	9/9/2026	
SS-31 (Elamipritide)	8.67	mg	.1	86.7	HPLC-UV-MS	9/9/2026	736992-21-5
Mass Spectral Match	ID Confirmed				HPLC-UV-MS	9/9/2026	

The data presented are from the analysis of the sample shown and meet Krause Analytical internal quality assurance criteria unless otherwise flagged.
Methods shown reference current Krause Analytical SOPs
ND - Not detected LOQ - limit of quantification
All values reported on a per vial basis unless otherwise noted
Copyright © 2026 Krause Analytical LLC. All rights reserved.

Respectfully submitted,

Mark C. Krause
Laboratory Director

 CHROMATOGRAM



Sample Report:

1: (Time: 0.30) Combine (13:19- (7:10+30:33))

1:MS ES+
3.3e+006